



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

September 6, 2007

KNOBBE MARTENS OLSON & BEAR LLP
2040 MAIN STREET
FOURTEENTH FLOOR
IRVINE CA 92614

Patent No. : 6,830,928 B1
Inventor(s) : Koenraad Hilaire Maria Goethals
Issued : December 14, 2004
For **PLANT MICROPROPAGATION AND**
GERMPLASM STORAGE
Doc. No. **DECLE2.001AP**

To Whom It May Concern:

The Certificate of Correction issued on April 11, 2006, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The correction "Column 9, line 58, delete "with a micro-organism" and insert --with a microorganism-- SHOULD READ -- Column 9, line 5, "with a micro-organism" and insert -- with a microorganism--. --

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-9390 ext. 111
For Cecelia Newman, Supervisor
Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-308-9390 ext. 102
cbn